

Annex B – Approved Plant Materials

Scientific Name	Common Name	Approx. Water Needs	Sun/Shade Preference	Approx. Mature Height	Approx Bloom Month
Flowers and Ground Covers					
<i>Achillea lanulosa</i> ^a	Native yarrow	L-H	S/PS	1.5 – 2'	Jul
<i>Achillea millefolium</i>	Native Yarrow	L-H	S/PS	1.5 – 2'	Jul
<i>Aconitum spp.</i> ^c	Monkshood	M-H	S	2'	Jun-Jul
<i>Aconitum columbianum</i> ^{a,c}	Columbian monkshood	M-H	S	2'	Jun-Jul
<i>Ajuga reptans</i> ^b	Bugleweed	H	Sh	< .5'	Jun-Jul
<i>Alchemilla sp.</i>	Ladys mantle	M-H	PS/Sh	1'	Jun-Jul
<i>Allium geyer</i> ^{a,c}	Geyer onion	L-H	S/PS	1'	Jun
<i>Anaphalis margaritacea</i> ^a	Pearly everlasting	L-H	S	1.5 – 2.5'	Aug
<i>Anemone blanda</i>	Windflower	M-H	S/PS	1'	Apr-May
<i>Antennaria parvifolia</i> ^{a,b}	Small-leaf pussytoes	M	S/PS	<.5'	Jun
<i>Aquilegia spp.</i>	Columbine	M-H	S/PS	1 – 2'	Jun-Jul
<i>Aquilegia coerulea</i> ^a	Colorado blue columbine	M-H	S/PS	1 – 2'	Jun-Jul
<i>Aquilegia chrysantha</i> ^a	Yellow columbine	M-H	S/PS	1 – 2'	Jun-Aug
<i>Arabis sp.</i> ^b	Rockcress	L-H	S	< 1'	May-Jun
<i>Armeria maritima</i>	Sea thrift	L-H	S/PS	.5'	Apr-Jun
<i>Artemisia arborescens</i>	Silver Sage	L	S	2' – 3'	n/a
<i>Artemisia schmidtiana</i>	Silver Mound Sage	L	S	6" – 12"	n/a
<i>Artemisia virides</i> 'Tiny Green'	Tiny Green Sage	L	S	6" – 12"	n/a
<i>Aster alpinus</i>	Alpine Aster	L-M	S	6" – 12"	Aug-Sep
<i>Aster x dumosus</i>	Woods Aster	L-M	S	6" – 12"	Aug-Sep
<i>Aster porter</i> ^a	Porter aster	L-M	S	1'	Aug-Sep
<i>Aurinia sp.</i> ^b	Basket of gold	M	S/PS	1'	Apr-May
<i>Calochortus gunnisonii</i> ^a	Mariposa lily	M-H	S	.5 – 2'	Jul-Aug
<i>Campanula</i> 'Birch Hybrid'	Serbian Bellflower	M	S/PS	6" – 12"	May-Oct
<i>Campanula carpatica</i>	Tussock	M-H	S/PS	6" – 12"	May-Oct
	Bellflower				
<i>Campanula garganica</i>	Adriatic Bellflower	M	S/PS	6" – 12"	May-Oct
<i>Campanula glomerata</i>	Clustered Bellflower	M-H	S/PS	1' – 2'	May-Oct
<i>Centranthus ruber</i>	Jupiters beard	L-H	S/Sh	2 – 2.5'	May-Oct
<i>Cerastium strictum</i> ^{a,b}	Mouse ear chickweed	M	S/PS	1'	May-Jun
<i>Cerastium tomentosum</i> ^b	Snow-in-summer	L-M	S/PS	1'	May-Jun
<i>Claytonia lanceolata</i> ^a	Spring beauty	M	Sh	.5 – 1.5'	Mar-Apr

<i>Convallaria majalis</i> ^{bc}	Lily-of-the-valley	H	Sh	< 1'	May-Jun
<i>Delosperma nubigenum</i> ^b	Hardy yellow iceplant	M-H	S	.5'	Jun
<i>Delphinium spp.</i> ^c	Delphinium	M-H	S/PS	.5 – 3'+	Jun-Jul
<i>Dianthus spp.</i>	Pinks	L-H	S	<.5' – 2'	May-Aug
<i>Doronicum sp.</i>	Leopards bane	H	S/PS	2 – 3'	Jul-Aug
<i>Echinacea purpurea</i>	Purple coneflower	M	S	2 – 3'	Jul-Aug
<i>Erysimum asperum</i> ^a	Western wallflower	M	S/PS	1'+	Jun-Jul
<i>Gaillardia aristata</i> ^a	Blanket flower	L-M	S	1 – 1.5'	Jul-Sep
<i>Galium boreale</i> ^{ab}	Northern bedstraw	M-H	Sh	<1'	May-Jun
<i>Geranium spp.</i>	Hardy geraniums	M	Sh/PS	2'	May-Oct
<i>Geranium caespitosum</i> ^a	Wild geranium	M	Sh/PS	2'	May-Oct
<i>Geum triflorum</i>	Prairie smoke	M-H	S/PS	1.5'	Jun
<i>Helianthella quinquenervis</i>	Aspen sunflower	M	S	1'	Jul-Sep
<i>Helianthemum nummularium</i>	Rockrose	M-H	S	< 1'	May-Jun
<i>Heuchera spp.</i>	Coral bells	M-H	PS/Sh	1 – 2'	Jun-Aug
<i>Ipomopsis aggregata</i> ^a	Scarlet gilia	M	S/PS	1 – 2'	Jun-Aug
<i>Iris germanica</i>	Bearded iris	L-M	S	1 – 3'	May-Jun
<i>Iris sibirica</i>	Siberian iris	M-H	S	2' – 3'	May-Jun
<i>Lamium sp.</i> ^b	Dead nettle	M-H	Sh	< 1'	May-Jun
<i>Lavandula spp.</i>	Lavender	L-M	S	1 – 2'	Jun-Nov
<i>Liatis spicata</i>	Prairie gayfeather	L	S/PS	2' – 3'	Jun-Oct
<i>Linum perenne</i>	Perennial Flax	L	S/PS	1' – 2'	May-Sep
<i>Monarda didyma</i>	Bee Balm	M-H	S/PS	1 – 3'	Jul-Oct
<i>Monardella macrantha 'Marian Sampson'</i>	Hummingbird Trumpet Mint	M	S/PS	< 1'	Jul-Oct
<i>Oenothera</i>	Silver Blades Primrose	L-M	S	< 1'	Jun-Aug
<i>Oenothera missouriensis</i>	Ozark Sundrop Primrose	L	S/PS	< 1'	Jun-Aug
<i>Papaver alpinum</i>	Alpine Poppy	L-M	S/PS	< 1'	May-Jun
<i>Papaver nudicaule</i>	Iceland Poppy	M	S/PS	1 – 2'	May-Jun
<i>Papaver orientale</i>	Oriental poppy	H	S/Sh	2 – 3'	May-Jun
<i>Penstemon barbatus</i>	Beardlip Penstemon	L-M	S/PS	1 – 3'	May-Sep
<i>Penstemon digitalis 'Husker Red'</i>	Husker Red Penstemon	L-M	S	2 – 3'	May-Jun
<i>Penstemon x mexicali</i>	Mexicali Penstemon	L-M	S	1 – 2'	Jun-Oct
<i>Penstemon pinifolius</i>	Pineleaf Penstemon	L	S	< 1'	May-Jul
<i>Penstemon rostriflorus 'Bridges'</i>	Bridges Penstemon	L	S	2 – 3'	Jun-Oct
<i>Phlox paniculata</i>	Tall Garden Phlox	M	S	1 – 3'	Jun-Sep
<i>Phlox subulata</i>	Moss phlox	M	S	< .5'	May
<i>Polemonium sp.</i>	Jacobs ladder	H	S/PS	1 – 2'	May-Aug
<i>Potentilla neumanniana</i>	Alpine Potentilla	L	S	< 1'	May-Jun

<i>Potentilla x tonguei</i>	Trailing Potentilla	L	S	< .5'	May-Jun
<i>Pulsatilla patens</i> ^a	Pasque flower	M	S/PS	1'	Mar-May
<i>Ratibida columnifera</i> ^a	Prairie coneflower	L-M	S	2'	Jul-Sep
<i>Rudbeckia hirta</i> ^a	Black-eyed Susan	M-H	S	2 – 3'	Jul-Sep
<i>Scutellaria resinosa</i>	Prairie Skullcap	L	S	< 1'	May-Aug
<i>Scutellaria scordifolia</i>	Skullcap	L	S	1 – 2'	May-Jul
<i>Sedum spp.</i> ^b	Stonecrop	M	S/PS	1 – 1.5'	Jul-Aug
<i>Sedum lanceolatum</i> ^a	Yellow stonecrop	M	S/PS	.5'	Jul-Aug
<i>Sempervivum sp.</i>	Hens and chicks	L-M	S/PS	.5'	n/a
<i>Solidago canadensis</i>	Goldenrod	L	S	1 – 2'	Jul-Oct
<i>Thalictrum fendleri</i> ^a	Fendler meadowrue	H	S/PS	2 – 3'	Jul-Aug
<i>Thermopsis divaricarpa</i> ^a	Spreading golden banner	M-H	S/PS	2'	May
<i>Tradescantia occidentalis</i> ^a	Western spiderwort	M	S/PS	1.5'	Jun-Aug
<i>Thymus spp.</i> ^b	Thyme	L-M	S	< .5'	Jun-Jul
<i>Veronica liwanensis</i>	Turkish Speedwell	L-M	S/PS	< .5'	May-Jul
<i>Veronica 'P018S'</i>	Snowmass Blue-Eyed Speedwell	L-M	S/PS	< .5'	May-Jul
<i>Veronica pectinata</i>	Woolly Speedwell	L-M	S	< .5'	Apr-Jul
<i>Veronica 'Reavis'</i>	Crystal River Speedwell	L-M	S/PS	< .5'	May-Jul
<i>Veronica Spicata</i>	Spike Speedwell	M	S/PS	1 – 2'	Jun-Sep
<i>Vinca minor</i> ^b	Periwinkle, myrtle	H	Sh	< 1'	Apr-Jun
<i>Waldsteinia sp.</i> ^b	Barren strawberry	M-H	Sh/PS	< 1'	May-Jun
Shrubs					
<i>Arctostaphylos nevadensis</i> ^{ab}	Pinemat manzanita	M	S/PS	1 – 2'	n/a
<i>Arctostaphylos patula</i> ^a	Greenleaf manzanita	M	S/PS	3 – 4'	n/a
<i>Arctostaphylos uva-ursi</i> ^{ab}	Kinnikinnick, bearberry	M	S/Sh	1'	n/a
<i>Betula glandulosa</i> ^a	Bog birch	H	S/PS	6 – 8'	n/a
<i>Ceanothus fendleri</i> ^a	Buckbrush, mountain lilac	M	S	2'	Jul
<i>Cercocarpus intricatus</i>	Little-leaf mountain mahogany	VL-L	S	4 – 6'	n/a
<i>Cercocarpus ledifolius</i>	Curl-Leaf Mountain Mahogany	L-M	S	10 – 20'	n/a
<i>Cercocarpus montanus</i> ^{ac}	True mountain mahogany	L-M	S	4 – 6'	n/a
<i>Chrysothamnus spp.</i> ^a	Rabbitbrush	VL-L	S	2 – 6'	Jul-Aug
<i>Cornus alba</i>	Tatarian Dogwood	M-H	S/PS	4 – 10'	n/a
<i>Cornus sericea</i>	Red Osier Dogwood	M-H	S/PS	4 – 10'	n/a
<i>Cornus stolonifera</i> ^a	Redtwig dogwood	M-H	S/PS	4 – 6'	n/a
<i>Cotoneaster apiculatus</i>	Cranberry Cotoneaster	L-M	S/PS	2 – 3'	May-Jun
<i>Cotoneaster horizontalis</i>	Spreading cotoneaster	M	S/PS	2 – 3'	May-Jun
<i>Cotoneaster lucidus</i>	Hedge Cotoneaster	L-M	S/PS	6 – 8'	May-Jun

<i>Daphne burkwoodii</i>	Burkwood daphne	M	S/PS	2 – 3'	Apr-Jun
<i>Erica sp.</i>	Heath	H	S/PS	1'	Jan-Mar
<i>Euonymus alatus</i>	Burning bush euonymus	M	S/Sh	1 – 6'	n/a
<i>Euonymus fortunei</i>	Winter Creeper Euonymus	M	PS/SH	1 – 8'	n/a
<i>Euonymus kiautschovicus</i>	Manhattan Euonymus	M	PS/SH	4 – 6'	n/a
<i>Fallugia paradoxa^a</i>	Apache plume	VL-L	S	2 – 4'	Jun-Oct
<i>Holodiscus dumosus^a</i>	Ocean spray, cliff/rock spirea	L-M	S/PS	4'	Jun
<i>Jamesia americana^a</i>	Wax flower	M-H	S/Sh	2 – 6'	Jun
<i>Lonicera korolkowii</i>	Blue Leaf Honeysuckle	L-M	S/PS	8 – 10'	May-Jun
<i>Lonicera xylosteum</i>	Dwarf Honeysuckle	L-M	S/PS	2 – 4'	May-Jun
<i>Mahonia aquifolium</i>	Oregon grape holly	M-H	S/Sh	4 – 6'	May-Jun
<i>Mahonia repens^{ab}</i>	Creeping grape holly	L-H	S/Sh	1 – 2'	Mar-May
<i>Philadelphus lewisii</i>	Wild Mockorange	L-M	S/PS	6 – 9'	Jun
<i>Philadelphus microphyllus^a</i>	Little-leaf mockorange	M	S	2 – 3'	Jun
<i>Philadelphus virginalis</i>	Virginal Mockorange	M	S	3 – 5'	Jun
<i>Physocarpus monogynus^a</i>	Mountain ninebark	M	S/Sh	2 – 4'	Jun
<i>Physocarpus opulifolius</i>	Common Ninebark	L-M	S/PS	3 – 10'	Jun
<i>Potentilla fruticosa^a</i>	Shrubby cinquefoil	M	S/PS	2 – 3'	May-Sep
<i>Prunus besseyi^a</i>	Western sand cherry	L-M	S	1 – 3'	May
<i>Purshia tridentata^a</i>	Antelope bitterbrush	L-M	S	1 – 2'	Jun-Aug
<i>Ribes alpinum</i>	Alpine Currant	L-M	S/PS	3 – 5'	Apr-May
<i>Ribes aureum^a</i>	Golden currant	M	S/PS	2 – 3'	Apr-May
<i>Ribes x gordonianum</i>	Gordon's Currant	L	S/PS	5 – 6'	Apr-May
<i>Ribes odoratum</i>	Golden Currant	L	S/PS	5 – 6'	Apr-May
<i>Rosa woodsii^a</i>	Woods' or native wild rose	M	S/PS	2 – 3'	Jun-Jul
<i>Symphoricarpos spp.^d</i>	Snowberry, coralberry	M	S/PS	2 – 3'	n/a
<i>Yucca baccata^a</i>	Banana or broad-leaf yucca	VL-L	S/PS	2 – 3'	Jun
<i>Yucca filamentosa</i>	Adams needle	M	S/PS	2 – 3'	Jun
<i>Yucca glauca^a</i>	Spanish bayonet, small soapweed, Great Plains yucca	VL-L	S/PS	2 – 3'	Jun
Large Shrubs and Trees					
<i>Acer ginnala</i>	Ginnala maple	M-H	S	6 – 10'	n/a
<i>Acer glabrum^a</i>	Rocky Mountain maple	M-H	S/Sh	6 – 10'	n/a
<i>Acer grandidentatum^a</i>	Wasatch maple	M	S/PS	10 – 20'	n/a
<i>Alnus tenuifolia^a</i>	Thinleaf alder	H	S/PS	6 – 8'	Apr
<i>Amelanchier alnifolia^{ac}</i>	Saskatoon alder-leaf serviceberry	M	S/PS	6 – 8'	Apr-May
<i>Amelanchier canadensis</i>	Shadblow Serviceberry	L	S/PS	6 – 20'	Apr-May
<i>Amelanchier x grandiflora</i>	Apple Serviceberry	L-M	S/PS	15 – 25'	Apr-May

<i>Amelanchier utahensis</i> ^a	Utah serviceberry	VL-M	S	4 – 6'	May
<i>Betula fontinalis</i>	River birch	H	S/PS	6 – 8'	n/a
<i>Betula occidentalis</i>				15 – 20'	
<i>Cercocarpus ledifolius</i> ^a	Mountain mahogany	VL-L	S	6 – 15'	n/a
<i>Cercocarpus ledifolius</i>	Curl-Leaf Mountain Mahogany	L-M	S	10 – 20'	n/a
<i>Corylus colurna</i>	Turkish Hazel or Turkish Filbert	L-M	S/PS	30 – 40'	n/a
<i>Crataegus spp.</i> ^a	Hawthorn (several native)	M	S	6 – 8'	May
<i>Fraxinus pennsylvanica</i>	Green ash	M-H	S	20 – 25'	n/a
<i>Gleditsia triacanthos</i>	Honeylocust	M-H	S	60 – 70'	May
<i>Malus sp.</i>	Crabapple	M	S	10 – 15'	Apr-May
<i>Physocarpus opulifolius</i> ^a	Tall ninebark	M	S/PS	4 – 6'	May
<i>Populus tremuloides</i> ^a	Aspen	M	S	8 – 25'	n/a
<i>Prunus americana</i> ^a	American wild plum	M	S/PS	4 – 6'	Apr
<i>Prunus cerasifera</i>	Flowering plum	M	S/PS	8 – 10'	Apr
<i>Prunus pennsylvanica</i> ^a	Pin/fire/wild/red cherry	M	S/PS	6 – 8'	May
<i>Rubus deliciosus</i> ^a	Boulder raspberry, thimbleberry	M	S/Sh	4 – 6'	Apr-May
<i>Salix amygdaloides</i> ^a	Peachleaf willow	H	S/PS	20 – 30'	n/a
<i>Shepherdia argentea</i> ^a	Silver buffaloberry	M	S/PS	4 – 6'	Apr
<i>Sorbus aucuparia</i>	European Mountain Ash	L-M	S/PS	20 – 30'	May
<i>Sorbus x hybrida</i>	Oakleaf Mountain Ash	L-M	S/PS	25 – 30'	May
<i>Sorbus scopulina</i> ^a	Western mountain ash	M-H	S/Sh	6 – 8'	May
<i>Syringa vulgaris</i>	Common lilac	M	S	6 – 8'	May
^a Native species.					
^b Ground cover plant.					
^c This species, or some species in this genus, may be poisonous to livestock, pets, wildlife and/or people under some conditions. Before planting, check with Colorado State University Extension, Colorado State Forest Service, or other knowledgeable personnel.					
^d Several species of symphoricarpos are native.					